

optima

SAFETY DATA SHEET	Revision Date: 02.05.2018
	Print Date: 09.05.2018
	SDS Number: 000000232516
BLACK PLASTIC ADHESIVE FAST - PART B	Version: 1.4

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BLACK PLASTIC ADHESIVE FAST - PART B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Adhesives

1.3 Details of the supplier of the safety data sheet LKQ Coatings Newberry House, Michigan Drive Tongwell, Milton Keynes MK15 8HQ optimaproducts@lkqcoatings.com	1.4 Emergency telephone number 01908 611117 Product Information 01908 611117
--	---

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.
 EUH208 Contains Piperazine. May produce an allergic reaction.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

2.3 Other hazards
Additional advice

No information available.

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Substances with a workplace exposure limit :			
Talc	14807-96-6 238-877-9		>= 15,00 - < 25,00

SECTION 4: First aid measures
4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

If swallowed : Obtain medical attention.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
Hydrocarbons
nitrogen oxides (NO_x)
halogenated hydrocarbons

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing : Product is compatible with standard fire-fighting agents.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

methods

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
 Ensure adequate ventilation.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
 Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
 Do not smoke.
 Container hazardous when empty.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc	14807-96-6	TWA (Respirable dust)	1 mg/m3 Respirable dust	GB EH40

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

Use eye protection according to EN 166.

Hand protection

Remarks : Nitrile rubber butyl-rubber

The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: Wear as appropriate:
Impervious clothing
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective clothing complying with EN 13688.
Safety shoes complying with EN ISO 20345.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: black
Odour	: No data available
Odour Threshold	: No data available
pH	: Not applicable
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 212 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	ca. 1,225 (25 °C)
Density	:	ca. 1,225 g/cm ³ (25 °C)
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	ca. 20.000 mPa.s (25 °C)
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : alkalis
isocyanates
Strong acids
Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Components:

Talc

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 423

Skin corrosion/irritation

Not classified based on available information.

Components:

Talc

Species: reconstructed human epidermis (RhE)
Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

Talc

Species: Rabbit
Method: OECD Test Guideline 405

optima

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

Talc

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

Talc

Genotoxicity in vitro

: Test Type: In vitro gene mutation study in bacteria
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Result: negative

: Test Type: In vitro gene mutation study in bacteria
 Test species: Saccharomyces cerevisiae
 Metabolic activation: with and without metabolic activation
 Result: negative

Genotoxicity in vivo

: Test Type: dominant lethal test
 Test species: Rat (male)
 Cell type: Bone marrow
 Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

Components:

Talc

Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

SECTION 14: Transport information

SECTION 14: Transport information

14.1 UN number

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.2 UN proper shipping name

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.3 Transport hazard class(es)

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.4 Packing group

ADN: Not dangerous goods

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.5 Environmental hazards

ADN: Not applicable

SAFETY DATA SHEET	Revision Date: 02.05.2018
	Print Date: 09.05.2018
	SDS Number: 000000232516
BLACK PLASTIC ADHESIVE FAST - PART B	Version: 1.4

ADR: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

RID: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable

Hazard code(s): Not applicable

Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

DSL	: This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.
AICS	Not in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
TCSI	Not in compliance with the inventory
TSCA	On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 02.05.2018

optima

SAFETY DATA SHEET	Revision Date: 02.05.2018
	Print Date: 09.05.2018
	SDS Number: 000000232516
BLACK PLASTIC ADHESIVE FAST - PART B	Version: 1.4

Full text of H-Statements

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Sources of key data used to compile the Safety Data Sheet

Internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

SAFETY DATA SHEET

Revision Date: 02.05.2018

Print Date: 09.05.2018

SDS Number: 000000232516

BLACK PLASTIC ADHESIVE FAST - PART B

Version: 1.4

OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands
 ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: Regulation for the Carriage of Dangerous Substances on the Rhine
 CLP : Classification, Labelling and Packaging
 CSA : Chemical Safety Assessment
 CSR : Chemical Safety Report
 DNEL : Derived No Effect Level.
 EINECS : European Inventory of Existing Commercial Chemical Substances.
 ELINCS : European List of Notified Chemical Substances
 PEC : Predicted Effect Concentration
 PEL : Permissible Exposure Limits
 PNEC : Predicted No Effect Concentration
 R-phrase : Risk phrase
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
 RID : Regulation Concerning the International Transport of Dangerous Goods by Rail
 S-phrase: Safety phrase
 WGK : German Water Hazard Class