



Optima Premium Sanding Disc Technical Data Sheet

PRODUCT DESCRIPTION

The Optima Premium Sanding Disc is a high quality range of 3 hole and 15 hole sanding discs to provide the highest level of performance. Superior grain technology, along with a reinforced latex backing provides a consistent and even finish. The stearated coating prolongs the disc to give the very best efficiency and cutting life.

INSTRUCTIONS FOR USE

- Always store the product in a dry environment, ideally 10°C to 25°C
- Always wear the relevant PPE safety equipment
- Always use in conjunction with a dust extraction unit
- For optimum performance and longevity of the abrasive disc, pre-clean the surface to be worked on (especially with finer grades)
- Align dust extraction holes on abrasive disc to an Optima backing pad for maximum efficiency of dust removal
- For improved stock removal on coarse grades (P80-P180), use a large orbit dual action sander (9-12mm orbit)
- Use a dual action sander with a finer orbit (3-5mm) to give the optimum surface preparation for topcoat applications
- On sharp contours to reduce breakthrough the Optima 150mm interface pad can be used.

PRODUCT HIGHLIGHTS

- Heat treated aluminium oxide grain for optimum sanding and durability.
- Fibre reinforced latex backing is highly resistant to tearing
- Extremely flexible
- Pigment free stearate coating prevents colour transfer and minimises clogging
- Discs can be used for dry and wet sanding applications
- 15 holes for maximum extraction (150mm)
- 3 holes for maximum extraction (76mm)

PRODUCT DETAILS

Size:	150mm & 76mm
Configuration:	15 Hole (150mm) & 3 hole (76mm)
Grits:	P80 - P800

TECHNICAL SPECIFICATIONS

Bonding:	Resin bonded
Grain:	Heat treated aluminium oxide
Colour:	Brown
Grit Range:	P80 - P800
Backing:	C-weight

DISCLAIMER

All statements, technical information and recommendations are based on tests we believe to be reliable but the accuracy or completeness thereof is not guaranteed. Please ensure before using our product that it is suitable for your intended use. All questions of reliability relating to this product are governed by the Terms of Sale subject, where applicable, to the prevailing law.

